

SLIPGrip®

Standard Degreaser



DESIGN

SUPPLY

FABRICATE

INSTALL



 **FIBREGRID**

SlipGrip Standard Degreaser removes grease and grime from any surface before painting or applying anti slip.

Also suitable for cleaning GRP.

Suitable for domestic and commercial applications.

CHARACTERISTICS

- Can be used on any surface or substrate
- Biodegradable - making it environmentally friendly
- Can be used on tools and machinery
- Quick and easy to use

APPLICATION

Floor Applications - Don't dilute the product. Distribute onto the substrate using your broom, and leave to work for about 5-10 minutes depending on the level of dirt. Then, use a broom to scrub the surface (or a mechanical scrubber if you have one). Rinse with cold water and watch the grease float away.

Machinery & Tool Applications - With a soft brush, coat the parts you want to clean. Leave for between 5-10 minutes depending on the level of dirt. Rinse with cold water.

TECHNICAL DATA

Description:	Detergent
Appearance:	Grey Powder
Container size:	5 Litres
Coverage:	20m ² per 5 litres, depending on the condition of the area to be treated

HEALTH & SAFETY

Store in original container. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.



These instructions are to be used as a guide. Always employ safe practices. It is recommended to first test the suitability of any product on a small area before carrying out a full application.



Southern Office:
Unit 2, Civic Industrial Estate,
Homefield Road Central,
Haverhill,
Suffolk,
CB9 8QP



Northern Office:
Kingston House,
3 Walton Road,
Pattinson North,
Washington,
Tyne & Wear,
NE38 8QA



www.fibregrid.com



Email: sales@fibregrid.com



Phone: 01440 712722



001